



ADDENDUM NO. 3

TO: All Contractors Bidding

FROM: Christopher J. Stritzel, P.E.
Crawford, Murphy & Tilly, Inc.

RE: Legacy Pointe Town Center
First Addition – Bid Package No. 1
Springfield, IL

DATE: February 23, 2010

This addendum is an integral part of the contract documents and shall be treated as such. Please sign and date the last page of this Addendum cover sheet and email to cstritzel@cmtengr.com. If a signed form has not been returned by the bid due date, your bid may be rejected.

BID BOOKLET – SECTION I:

The following section has been updated within Section I of the Bid Booklet and will completely replace the original language:

SECTION 1(c) – BID PREPARATION

Every price quote or proposal must be made ~~in-ink~~ upon the Proposal Form and Bid Sheet provided in Addendum No. 2 and must give the price of each and every item of each subcategory bid, in figures. Any subcategory not bid shall be labeled “NO BID”.

The following section has been added to Section I of the Bid Booklet:

ADDENDUM E

In reference to Section I – Paragraph 24(c), Addendum E has been added to Section I of the Bid Booklet. The Contractor shall be required to complete Addendum E in accordance with Section I and submit with their bid on the form provided. Refer to attachment at the end of this Addendum.

BID BOOKLET – SECTION IV & V:

The following special provision shall be added as part of Sections IV & V of the Bid Booklet:

STABILIZED CONSTRUCTION ENTRANCE

This work shall consist of constructing a stabilized construction entrance in accordance with the plans at the locations shown on the Storm Water Pollution Prevention Plan at the west ends of the existing pavement of Lincolnshire Boulevard & Legacy Pointe Drive by the sanitary sewer contractor.

Payment for this work will be at the contract unit price per EACH for STABILIZED CONSTRUCTION ENTRANCE and shall include all grading, aggregate, fabric and incidentals as required by the plans. The sanitary sewer contractor shall not begin installation of any stabilized construction entrance without approval from the Engineer. Should the sanitary sewer or any other contractor wish to access the property from another entrance point (Lindbergh Boulevard or Westchester Boulevard for example), an additional stabilized construction entrance may be added by that contractor upon approval of the Engineer at no additional expense to the Owner.

No additional payment will be made for maintenance. It is required that each subcategory contractor awarded will have full access to all stabilized construction entrances installed on the project. The overall maintenance of the stabilized construction entrances will be the responsibility of each individual contractor who utilizes them. The maintenance of the stabilized construction entrance shall be done in accordance with the Storm Water Pollution Prevention Plan and the details in the plans and shall be considered incidental to each single bid subcategory.

BID BOOKLET – SECTION VII:

The bid sheet tabulation forms within the Proposal Form and Bid Sheets portion of Section VII of the Bid Booklet have been updated. A pay item for STABILIZED CONSTRUCTION ENTRANCE has been added to the MEC – Sanitary subcategory.

PLAN SHEETS REVISIONS:

CMT – Storm Water Pollution Prevention Plans

1. Sheet SW-1 – Remove reference to stabilized construction entrance off West Grand Boulevard (Site Keynote #5) as this entrance will no longer be required.

SH – Storm Water Management Plans

1. Sheet SM 0.2 – Estimate Reference Information table Item No. 5

The following shall be added to the Description column:

All traffic control must be installed prior to removal. Signage and barricades as represented in the plans and disposal of material shall be incidental to the Aggregate Base Course, Type A 6”.

2. Sheet SM1.4, SM 1.6, SM 1.8 & SM 2.1 Detail 7 – Additional details for the temporary bike trail at the west ends of Lincolnshire & Lindbergh have been included. The contractor will be required to build the temporary trail to the details and specs shown on the attachment to this addendum.

Hard copies of this Addendum will not be sent unless specifically requested. Please acknowledge receipt of Addendum No. 2 by signing below and emailing back a copy to cstritzel@cmtengr.com.

RECEIPT ACKNOWLEDGED BY:

Bidding Contractor

Date

END OF ADDENDUM #3

ADDENDUM E

**LEGACY POINTE TOWN CENTER
FIRST ADDITION – BID PACKAGE NO. 1**

Section I – Paragraph 24(c)

The following must be completed by all contractors in accordance with the city requirements to minority and female-owned business participation.

- (a) If the undersigned bidder will award no subcontracts in the performance of this Contract, the bidder must so certify by placing his/her signature in the space provided.

(Signature of Bidder)

- (b) If the undersigned bidder will award subcontracts in connection with this Contract, the bidder must attach proof of publication as required by paragraph 24 of the Instruction to Bidders and complete the MBE/FBE Utilization Form attached hereto as Addendum E.

- (c) If the undersigned bidder will award subcontracts but has received no proposals from interested minority or female-owned businesses in response to its advertisement prior to submitting its bid, the bidder must so certify by placing his/her signature in the space provided.

(Signature of Bidder)

ADDENDUM E

**LEGACY POINTE TOWN CENTER
FIRST ADDITION – BID PACKAGE NO. 1**

MBE/FBE Utilization Form

The following minority and/or female-owned businesses submitted proposals to the bidder:

1) Name of Company: _____
Address: _____
Telephone: _____
Status: MBE _____ or FBE _____
Description of work to be performed: _____
Dollar amount of proposal: _____
Will this firm be awarded a subcontract: YES _____ or NO _____
If no provide justification for rejection: _____

2) Name of Company: _____
Address: _____
Telephone: _____
Status: MBE _____ or FBE _____
Description of work to be performed: _____
Dollar amount of proposal: _____
Will this firm be awarded a subcontract: YES _____ or NO _____
If no provide justification for rejection: _____

3) Name of Company: _____
Address: _____
Telephone: _____
Status: MBE _____ or FBE _____
Description of work to be performed: _____
Dollar amount of proposal: _____
Will this firm be awarded a subcontract: YES _____ or NO _____
If no provide justification for rejection: _____

SECTION VII

PROPOSAL FORM AND BID SHEETS

Dated: _____

1. The undersigned bidder submits with this proposal, all information as called for, together with complete manufacturer's specifications covering any equipment bid upon.

2. The undersigned bidder states that he has been regularly engaged in work of the type required by the specifications herein for _____ years and respectfully invites your attention to the following products and/or services:

3. The following proposal may be withdrawn at any time prior to the scheduled time for the opening of bids or any authorized postponement thereof. If written notice of the acceptance of this proposal is mailed, telegraphed or otherwise delivered to the undersigned within sixty (60) calendar days after the date of opening of the bids, or any time thereafter before this bid is withdrawn, the undersigned will, within ten (10) calendar days after the date of such mailing, telegraphing or delivery of such notice, execute and deliver a contract on the form provided in Section VIII of this booklet.

The undersigned bidder hereby designates as his office to which such notice of acceptance may be mailed, telegraphed or delivered as follows: _____

(street address)

(city, state and zip code)

Name and telephone number of person to contact regarding this bid:

Name: _____

Phone: _____

PROPOSAL OF BIDDER

**LEGACY POINTE TOWN CENTER FIRST ADDITION BID PACKAGE NO. 1
SUMMARY OF QUANTITIES / BID PROPOSAL**

SUMMARY OF BIDS FOR:

MEC - SANITARY, STORM & ROADWAY EMBANKMENT PLANS

SH - STORM WATER MANAGEMENT PLANS

SH - OUTFALL PIPE PLANS

<u>SUBCATEGORY</u>	<u>TOTAL BID</u>
1. MEC - SANITARY SEWER:	_____
2. MEC - STORM SEWER & UTILITY CONDUIT:	_____
3. SH - STORM & SANITARY SEWERS:	_____
4. COMBINED EMBANKMENT:	_____
5. SH - OUTFALL PIPE PLANS:	_____

**LEGACY POINTE TOWN CENTER FIRST ADDITION BID PACKAGE NO. 1
SUMMARY OF QUANTITIES / BID PROPOSAL**

CODE	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	AMOUNT
MEC - SANITARY, STORM AND ROADWAY EMBANKMENT PLANS					
<u>SANITARY SEWER</u>					
*	SELECTED GRANULAR BACKFILL	1,975	CU YD		
*	PERMANENT PAVEMENT REMOVAL & REPLACEMENT	6	SQ YD		
25002300	TEMPORARY SEEDING	2.75	ACRE		
*	8" SANITARY SEWER (0'-8')	371	FOOT		
*	8" SANITARY SEWER (8'-12')	1,037	FOOT		
*	8" SANITARY SEWER (12'-16')	749	FOOT		
*	8" SANITARY SEWER (16'-20')	240	FOOT		
*	8" SANITARY SEWER (20'-24')	14	FOOT		
*	10" SANITARY SEWER (20'-24')	14	FOOT		
*	12" SANITARY SEWER (12'-16')	328	FOOT		
*	12" SANITARY SEWER (20'-24')	2,273	FOOT		
*	12" SANITARY SEWER (24'-28')	22	FOOT		
*	12" SANITARY SEWER (28'-32')	24	FOOT		
*	6" SANITARY SERVICES	646	FOOT		
*	6" SERVICE RISERS	111	VF		
*	SANITARY SEWER TESTING	5,072	FOOT		
*	DROP MANHOLE CONNECTIONS	3	EACH		
*	ADDITIONAL DEPTH OF MANHOLE	193.4	VF		
*	MANHOLES, SANITARY, 4' DIAMETER, TYPE 1 FRAME, CLOSED LID	18	EACH		
*	MANHOLE (SPECIAL), SANITARY, 4' DIAMETER, TYPE 1 FRAME, CLOSED LID	1	EACH		
*	ADJUST MANHOLE	1	EACH		
*	TREE CLEARING	1	L SUM		
*	STABILIZED CONSTRUCTION ENTRANCE	2	EACH		
MEC - SANITARY SEWER SUBTOTAL =					
<u>STORM SEWER & UTILITY CONDUIT</u>					
20800150	TRENCH BACKFILL	2,181	CU YD		
25002300	TEMPORARY SEEDING	4.25	ACRE		
54213699	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 54"	1	EACH		
54216242	REINFORCED CONCRETE PIPE TEE, 48" PIPE WITH 12" RISER	6	EACH		
54216253	REINFORCED CONCRETE PIPE TEE, 54" PIPE WITH 12" RISER	4	EACH		
54247200	GRATING FOR CONCRETE FLARED END SECTION 54"	1	EACH		
550A0050	STORM SEWERS, CLASS A, TYPE 1 12"	584	FOOT		
550A0070	STORM SEWERS, CLASS A, TYPE 1 15"	169	FOOT		
550A0340	STORM SEWERS, CLASS A, TYPE 2 12"	294	FOOT		
550A0360	STORM SEWERS, CLASS A, TYPE 2 15"	259	FOOT		
550A0380	STORM SEWERS, CLASS A, TYPE 2 18"	254	FOOT		
550A0400	STORM SEWERS, CLASS A, TYPE 2 21"	133	FOOT		
550A0410	STORM SEWERS, CLASS A, TYPE 2 24"	33	FOOT		
550A0430	STORM SEWERS, CLASS A, TYPE 2 30"	27	FOOT		
550A0450	STORM SEWERS, CLASS A, TYPE 2 36"	83	FOOT		
550A0470	STORM SEWERS, CLASS A, TYPE 2 42"	152	FOOT		
550A0480	STORM SEWERS, CLASS A, TYPE 2 48"	3,809	FOOT		
550A0490	STORM SEWERS, CLASS A, TYPE 2 54"	2,617	FOOT		

**LEGACY POINTE TOWN CENTER FIRST ADDITION BID PACKAGE NO. 1
SUMMARY OF QUANTITIES / BID PROPOSAL**

60218400	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	3	EACH		
60218500	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3 FRAME AND GRATE	7	EACH		
60219000	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	3	EACH		
60221100	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID	1	EACH		
60223810	MANHOLES, TYPE A, 6'-DIAMETER, TYPE 3 FRAME AND GRATE	2	EACH		
60224446	MANHOLES, TYPE A, 7'-DIAMETER, TYPE 1 FRAME, CLOSED LID	14	EACH		
60235700	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	18	EACH		
60236800	INLETS, TYPE A, TYPE 11 FRAME AND GRATE	7	EACH		
60240220	INLETS, TYPE B, TYPE 3 FRAME AND GRATE	1	EACH		
60240301	INLETS, TYPE B, TYPE 8 GRATE	1	EACH		
X6020074	INLETS, TYPE A, TYPE 3V FRAME AND GRATE	7	EACH		
X6020088	MANHOLES, TYPE A, 8'-DIAMETER, TYPE 1 FRAME, CLOSED LID	23	EACH		
X6020098	MANHOLES, TYPE A, 9'-DIAMETER, TYPE 1 FRAME, CLOSED LID	3	EACH		
XX002154	MANHOLE, TYPE A, 4' DIAMETER, TYPE 3V FRAME AND GRATE	1	EACH		
*	STORM SEWER HDPE, 12"	80	FOOT		
*	INLET CONTROL - TEMPORARY	44	EACH		
*	INLET CONTROL - PERMANENT	50	EACH		
*	PERMANENT PAVEMENT REMOVAL & REPLACEMENT	269	SQ YD		
*	5" ELECTRIC CONDUIT	309	FOOT		
*	12" ELECTRIC CONDUIT	715	FOOT		
*	TRENCHING & BACKFILL	909	FOOT		
*	TEMPORARY DRAINAGE OPENINGS	4	EACH		
MEC - STORM SEWER & UTILITY CONDUIT SUBTOTAL =					
SH - STORM WATER MANAGEMENT PLAN					
STORM & SANITARY SEWERS					
20800150	TRENCH BACKFILL	1,188	CU YD		
28000400	PERIMETER EROSION BARRIER	1,405	FOOT		
28000500	INLET AND PIPE PROTECTION	19	EACH		
28100109	STONE RIPRAP, CLASS A5	238	TON		
35100500	AGGREGATE BASE COURSE, TYPE A 6"	610	SQ YD		
40201000	AGGREGATE FOR TEMPORARY ACCESS	28	TON		
40603305	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N30	100	TON		
48101498	AGGREGATE SHOULDERS, TYPE B 4"	248	SQ YD		
54213660	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15"	18	EACH		
54213681	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 36"	2	EACH		
54213699	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 54"	4	EACH		
54247170	GRATING FOR CONCRETE FLARED END SECTION 36"	1	EACH		
54247200	GRATING FOR CONCRETE FLARED END SECTION 54"	2	EACH		
55080430	STORM SEWERS, CLASS B, TYPE 2 30"	3,932	FOOT		
55080730	STORM SEWERS, CLASS B, TYPE 3, 30"	382	FOOT		
55021700	STORM SEWERS, TYPE 2 REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS III 15"	244	FOOT		
55022200	STORM SEWERS, TYPE 2 REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS III 30"	645	FOOT		
55024500	STORM SEWERS, TYPE 3 REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS IV 36"	208	FOOT		
55024700	STORM SEWERS, TYPE 3, REINFORCED CONCRETE CULVERT, STORM DRAIN AND SEWER PIPE, CLASS IV 48"	466	FOOT		

**LEGACY POINTE TOWN CENTER FIRST ADDITION BID PACKAGE NO. 1
SUMMARY OF QUANTITIES / BID PROPOSAL**

55024800	STORM SEWERS, TYPE 3, REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS IV 54"	184	FOOT		
60221100	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID	13	EACH		
60223800	MANHOLES, TYPE A, 6'-DIAMETER, TYPE 1 FRAME, CLOSED LID	2	EACH		
60224446	MANHOLES, TYPE A, 7'-DIAMETER, TYPE 1 FRAME, CLOSED LID	2	EACH		
*	CONCRETE TRICKLE CHANNEL	579	SQ YD		
*	PLUG EXISTING SEWER	6	EACH		
*	MANHOLES (LINCOLNSHIRE), TYPE A, 8'-DIAMETER, TYPE 1 FRAME, CLOSED LID	2	EACH		
*	CONCRETE HEADWALL (LINCOLNSHIRE)	2	EACH		
*	STORM SEWERS, PERFORATED HDPE, 6"	442	FOOT		
XX004801	BITUMINOUS BIKE PATH REMOVAL	83	SQ YD		
*	ADJUST MANHOLE	5	EACH		
*	10" SANITARY SEWER (20'-24')	249	FOOT		
SH - STORM AND SANITARY SEWERS SUBTOTAL =					
COMBINED EMBANKMENT					
MEC - EMBANKMENT					
*	TOPSOIL STRIP AND STOCKPILE	1	L SUM		
*	EARTH EXCAVATION	1	L SUM		
*	TOPSOIL PLACEMENT	1	L SUM		
*	UTILITY EXCAVATION SPOILS PLACEMENT	1	L SUM		
*	DIVERSION DITCH	1,279	FOOT		
*	SEEDING, CLASS 2	4.00	ACRE		
*	HYDRO MULCH	5.25	ACRE		
SH - EMBANKMENT					
25000200	SEEDING, CLASS 2	29.26	ACRE		
*	SEEDING, FLOOD PLAIN MIXTURE	6.03	ACRE		
*	SEEDING, LOW GROW GRASS & WILDFLOWER MIXTURE	2.28	ACRE		
*	HYDRO MULCH	37.57	ACRE		
*	TOPSOIL STRIP AND STOCKPILE	1	L SUM		
*	TOPSOIL RESPREAD	1	L SUM		
*	EARTH EXCAVATION	97,252	CU YD		
*	TOPSOIL PLACEMENT	1	L SUM		
*	CAISSON EXCAVATION SPOILS PLACEMENT	1	L SUM		
*	SALLENGER STOCKPILE	1	L SUM		
COMBINED EMBANKMENT SUBTOTAL =					

**LEGACY POINTE TOWN CENTER FIRST ADDITION BID PACKAGE NO. 1
SUMMARY OF QUANTITIES / BID PROPOSAL**

SH - OUTFALL SEWER PIPE PLANS			
20800150	TRENCH BACKFILL	1,189	CU YD
25000200	SEEDING, CLASS 2	2.75	ACRE
25100115	MULCH, METHOD 2	2.75	ACRE
28000400	PERIMETER EROSION BARRIER	544	FOOT
28000500	INLET AND PIPE PROTECTION	2	EACH
28100109	STONE RIPAP, CLASS A5	145	TON
35100500	AGGREGATE BASE COURSE, TYPE A 6"	515	SQ YD
40201000	AGGREGATE FOR TEMPORARY ACCESS	65	TON
40603305	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N30	84	TON
44201980	CLASS D PATCHES, TYPE IV	95	SQ YD
48101498	AGGREGATE SHOULDERS, TYPE B 4"	180	SQ YD
54213660	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15"	2	EACH
54213693	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 48"	4	EACH
54216003	REINFORCED CONCRETE PIPE ELBOW 48"	1	EACH
54247190	GRATING FOR CONCRETE FLARED END SECTION 48"	2	EACH
55021700	STORM SEWERS, TYPE 2, REINFORCED CONCRETE CULVERT, STORM DRAIN AND SEWER PIPE, CLASS III 15"	72	FOOT
55024700	STORM SEWERS, TYPE 3, REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS IV 48"	1,248	FOOT
55026800	STORM SEWERS, TYPE 4, REINFORCED CONCRETE CULVERT, STORM DRAIN, AND SEWER PIPE, CLASS IV 48"	328	FOOT
59300100	CONTROLLED LOW STRENGTH MATERIAL	122	CU YD
60224446	MANHOLES, TYPE A, 7'-DIAMETER, TYPE 1 FRAME, CLOSED LID	6	EACH
*	PROTECT EXISTING UTILITIES, SURFACE FEATURES & SUBSURFACE FEATURES	1	L SUM
*	SUPPORT EXISTING POWER POLE	1	EACH
*	RELOCATE SIGN	1	EACH
*	PLUG EXISTING SEWER	2	EACH
*	66" STEEL CASING PIPE	105	FOOT
XX004801	BITUMINOUS BIKE PATH REMOVAL	515	SQ YD
*	CONCRETE WALL REMOVAL	125	FOOT
*	SEEDING, FLOODPLAIN MIXTURE	0.51	ACRE
SH - OUTFALL SEWER PIPE PLANS SUBTOTAL =			

The undersigned bidder hereby certifies that it and any subcontractors who will be performing work under this public works project are participants in an applicable apprenticeship and training program or programs approved by and registered with the United States Department of Labor's Bureau of Apprenticeship and Training _____

Signature

Pursuant to the City of Springfield Code of Ordinances, Section 38.23 (a) (1), each bidder must supply with its proposal, a complete, accurate and truthful listing and description of all citations, complaints, summons, decisions, determinations, judgments, or other allegations or findings relating to any violation of State or Federal laws, which protect the health, safety, or welfare of workers, including but not limited to the Occupational Health and Safety Relations Act, the Americans with Disabilities Act, the Age Discrimination in Employment Act, the National Labor Relations Act, the Federal Civil Rights Act, the Illinois Human Rights Act, the Illinois Wage and Hour Law, and the Prevailing Wage Act, filed against it or any entity with whom it is submitting the bid, including joint ventures and partners, and also including parent and subsidiary corporations or entities. Any bidder who willfully fails or refuses to include the information required, or whose report of such information is substantially incomplete, inaccurate, or untruthful shall be disqualified and its bid shall be rejected.

The undersigned bidder hereby certifies that the following is a complete, accurate and truthful listing and description of all information required pursuant to the City of Springfield Code of Ordinances, Section 38.23 (a) (1). _____

Signature

If your organization is a corporation, limited liability company, limited liability partnership, or limited partnership, etc., you must provide a copy of your current certification of good standing from your State of incorporation with your bid. Failure to do so may result in the rejection of your bid.

Signature

Pursuant to Illinois law as it pertains to foreign corporations, foreign limited liability companies, foreign limited liability partnerships, or foreign limited partnerships, you may be required to register with the Illinois Secretary of State. A foreign entity is an entity organized or incorporated in a state other than Illinois. The undersigned bidder hereby certifies that it has examined the relevant statutes and determined that either: (1) It is not required to register as a foreign entity with the Illinois Secretary of State; or (2) It is required to register as a foreign entity with the Illinois Secretary of State, that it has so registered, and that proof of registration is attached hereto.

Signature


Pursuant to Section 38.47 of the City of Springfield Code of Ordinances, 1988, as amended, the undersigned bidder hereby certifies that it and any subcontractors (if any) it employs to perform work under a contract for the City of Springfield does not employ unauthorized aliens as defined in the Federal Immigration and Nationality Act (8 U.S.C. 1101, *et seq.*, Section 274A).

Signature

XReference Files: XR-TITLE > P:\PROJECTS\405361-0\DWG\1_CIVIL\STRM MANG BP1\DWG\PLANS\XR-TITLE.dwg | X-BASE-SSWR > P:\PROJECTS\405361-0\DWG\1_CIVIL\STRM MANG BP1\DWG\PLANS\XR-TITLE.dwg | X-BASE-SSWR > P:\PROJECTS\405361-0\DWG\1_CIVIL\STRM MANG BP1\DWG\PLANS\XR-TITLE.dwg | X-BASE-SSWR > P:\PROJECTS\405361-0\DWG\1_CIVIL\STRM MANG BP1\DWG\PLANS\XR-TITLE.dwg
 | jwwite | P:\Projects\405361-0\dwg\1_Civil\Strm Mang BP1\DWG\Plans\CD-SM1-02.DWG | DATE: 02/23/2010 | Time: 14:25 |

CONSTRUCT TEMPORARY BIKE PATH AT
 UNIFORM LONGITUDINAL SLOPE BETWEEN
 TIE IN LOCATIONS. MAXIMUM LONGITUDINAL
 SLOPE SHALL NOT EXCEED 5%. BIKE PATH
 WIDTH, THICKNESS, MATERIAL AND CROSS
 SLOPE SHALL BE CONSTRUCTED
 ACCORDING TO DETAIL 7 SHEET SM2.1

FOR REMOVAL AND REPLACEMENT OF
 EXISTING BIKE PATH REFER TO REFER TO
 MARTIN ENGINEERING COMPANY SANITARY,
 STORM AND ROADWAY EMBANKMENT PLANS



**Typical Bike Path West End of
 Lincolnshire and Lindbergh**



SHIVE-HATTERY
 ARCHITECTURE - ENGINEERING
<http://www.shive-hattery.com>
 Iowa - Illinois - Missouri - Nebraska
 ILLINOIS FIRM NUMBER: 184-000214

Legacy Pointe Town Center First Addition - Bid Package No. 1 ADDENDUM NO. 3		PROJECT NO. 405361-2
DATE	02-23-2010	SCALE
DRAWN	JWW	FIELD BOOK
APPROVED	RHS	REVISION
		SHEET NO. CSK-2